



**Competitive Value...Always**



# 2012

**Ice Storage Products  
Suggested List Prices**

**Shuttle Plus Storage Systems / Ice Dispensers / Ice Carts  
Single Door Upright Bins / Double Door Upright Bins**

**ICE FILL STATIONS**

**All prices effective January 1, 2012**

**Prices F.O.B. Origin on all freight**

**This price sheet supercedes all other prices**

2627 W Oxford Avenue. Englewood, CO 80110

Phone (303) 761-1615 / Toll Free: (800) 346-3246 / Fax (303) 789-1741

[www.kloppenberg.com](http://www.kloppenberg.com)

# Kloppenberg Single Door Uprights



**Seamless liners exclusive to Kloppenberg !**

Kloppenberg Single Door Upright Features:



Height includes 6" adjustable legs and 1" for top closures. Add 10 1/2" to depth after install for snout/door assembly. Poly snout(s) and set(s) of sliding view windows are tool-free install. Dimensions shown in inches and pounds. Application capacity is determined as 90% of total interior volume in cubic feet x 34 lb./ cu. ft. avg. Ice density. Shipping weights are approximate and variable. FOB origin on all freight unless pre-approved arrangements are made on a per order basis. Stainless Steel tops built to match ice maker included in price for all S/S lined bins (Incl. 705 and 905 models). Please state ice maker to be used at time of order. All models equipped with adjustable bullet and/or flanged feet.




SBB Stainless steel front, sides, back and bottom  
 SS Stainless steel front and sides

Equipped with a standard reinforced ABS top that will accommodate ice maker  
 Please call for special application requirements

Model	Capacity	Width	Depth	Height	Ship weight	List Price
705-SS	741	30	34	58	240	4594
705-SBB	741	30	34	58	240	4981
905-SS	1023	30	34	77	285	5168
905-SBB	1023	30	34	77	285	5590
<hr/>						
1045-SS	1161	48	34	55	280	4758
1045-SBB	1161	48	34	55	280	5082
1315-SS	1457	48	34	67	320	5138
1315-SBB	1457	48	34	67	320	5575
<hr/>						
1325-SS	1471	60	34	55	310	5335
1325-SBB	1471	60	34	55	310	5667
1665-SS	1846	60	34	67	370	5819
1665-SBB	1846	60	34	67	370	5981



\*Above units have a seamless poly liner



## More single door upright models

Model	Capacity	Width	Depth	Height	Weight	List Prices
965-SBB	1069	36	34	67	295	4944
<hr/>						
1915-SBB	2180	60	48	56	400	9497
2415-SBB	2725	60	48	68	525	11250

- 1 1/2" Foamed-in place polyurethane insulation
- Convenient snout door spring latch
- S/S ice baffle behind door prevents ice overflow
- Clear polycarbonate sliding view windows
- Factory installed 1" IPS plastic drain
- S/S tops are fully gasketed, reinforced, and cut to ice maker of choice



# Kloppenberg Double Door Uprights



Kloppenberg Double Door Upright Features:

## All stainless steel

- 1 1/2" Foamed-in place polyurethane insulation
- Convenient snout door spring latch
- S/S ice baffle behind door prevents ice overflow
- Clear polycarbonate sliding view windows
- Factory installed 1" IPS plastic drain
- S/S tops are fully gasketed, reinforced,



Capacities Range from 1818lbs. to 6500lbs.

Model	Capacity	Width	Depth	Height	Ship Weight	List Price
<b>1455</b>	1818	72	34	56	470	9522
<b>2215</b>	2576	72	34	76	625	11221
<b>2115</b>	2639	72	48	56	600	10270
<b>3225</b>	3739	72	48	76	785	12833
<b>4325</b>	4839	72	48	96	980	15357
<b>2845</b>	3557	96	48	56	730	11639
<b>4345</b>	5039	96	48	76	1200	15716
<b>5835</b>	6522	96	48	96	1300	17793

Sleeves are w x d x 20h" and have a view window  
Sleeves can be customized to add height, special doors and more  
Sleeves shipped separate.

Ice maker(s) that weigh over 800#'s each may require additional reinforcement. Call for quote.

Kloppenberg has full custom capabilities

Please accompany custom quote requests with detailed drawings or specifications.

## Options



Prison Package/Anti-Vandalism Package (quotes available on request)

Both single and double door units are available with these options;

Either is available individually or as a package

20 ga. stainless steel liner (either seamed or fully welded)  
(24 ga. standard)


all S/S snout & Lockable door

S/S top Closure

6" S/S bolt down flanged legs

S/S view window cover plate with security screws  
for authorized removal

Corrosion Resistant Coating above ice fill line





# Kloppenberg Shuttle Plus Storage Systems



**Shipped fully assembled-just unpack, clean, sanitize and it's ready for use!**

Cart quantity equals the numeric model number.  
 Capacities shown include cart capacity.  
 Each Shuttle system is shipped with a 48" ice Paddle.\*  
 Capacities & crated weights include the cart(s) and are variable.  
 All shuttles shipped fully assembled, sleeves are shipped separately.  
 Measurements shown in inches and pounds.

SL denotes extended SLEEVE - increases capacity by height ranging from 12" - 30"  
 G denotes GIANT - increases capacity by adding 12" to the depth of the unit.



Model	Capacity	Width	Depth	Height	Weight	List Prices
<b>One Cart Models</b>						
SPS-1	500	30	36	65	320	8809
SPS-1-G	900	30	48	82	370	9081
<b>Two Cart Models</b>						
SPS-2	1500	60	36	71	530	15579
SPS-2-SL	2500	60	36	92	690	17554
SPS-2 Sleeve only	730	60	36	21	180	3053
SPS-2-G	1800	60	48	71	740	18793
SPS-2-G-SL	3000	60	48	101	960	23255
SPS-2G Sleeve Only	1200	60	48	30	280	4228
<b>Three Cart Models</b>						
SPS-3	2000	90	36	71	950	24861
SPS-3-SL	3400	90	36	101	1190	28329
SPS-3 Sleeve Only	1400	90	36	30	400	5304
SPS-3-G	2400	90	48	71	1100	25270
SPS-3-G-SL	4300	90	48	101	1570	33757
SPS-3G Sleeve Only	1700	90	48	30	500	6342


Pricing includes cart(s) and 48" paddle \*(60" available).  
 Include standart cart(s) equal to madel number

## CARTS


All Poly Standard Cart  
 10" Rear Rigid Castors  
 4" Front Swivel Castors  
 Hinged center to side drop lid  
 Foot operated rear drain  
 Handles on both ends of cart

\*Poly Totes come in a set of 6.

S/S Exterior Classic Cart  
 Seamless poly-insulated liner  
 Serving style hinged lid  
 5" Front Swivel Castors  
 5" Rear Fixed Castors w/Brake  
 Rubber corner bumper guards



**PCC-250**



**CC-300**

Model	Capacity	Width	Depth	Height	Weight	List Pirces
PCC-250	250	22	30	38	100	1888
CC-300	300	24	30	38	130	4197
Totes*		8	9	14	4	654



# Kloppenberg Ice Fill Station




**Quickly and easily provides ample and sanitary ice**

- Adjustable flanged feet
- Front access poly door 32" w x 18.5" h
- Insulated polyethylene snout
- Spring loaded door latch
- Sloped interior walls
- Base is stainless steel 1.5" sq tubing


**Designed for versatility to meet all needs**  
**Sloped interior walls eliminate raking**  
**New paddle slot for easy ice break up**

Model	Capacity	Width	Depth	Height	Weight	List Price
<b>Single Cart 125# Models</b>						
IFS900-125	1069	36	34	93.5	360	7445
IFS1000-125	1161	48	34	81.5	380	7786
IFS1200-125	1457	48	34	93.5	420	7969
IFS1300-125	1471	60	34	81.5	460	8747
IFS1600-125	1846	60	34	93.5	510	8758
IFS1800-125	2180	60	48	82.5	555	9192
IFS2300-125	2725	60	48	94.5	610	10119
<b>Single Cart 250# Models</b>						
IFS900-250	1069	36	34	101	380	8131
IFS1000-250	1161	48	34	89	400	8489
IFS1200-250	1457	48	34	101	440	8678
IFS1300-250	1471	60	34	89	480	9375
IFS1600-250	1846	60	34	101	530	9478
IFS1800-250	2180	60	48	90	575	9912
IFS2300-250	2725	60	48	102	630	10832
<b>Two Cart 125# Models</b>						
IFS1700-125	1818	72	34	82.5	665	14291
IFS2400-125	2576	72	34	102.5	775	14406
IFS2500-125	2639	72	48	82.5	780	16464
IFS2700-125	3739	72	48	102.5	920	17150
IFS3500-125	3557	96	48	82.5	825	18694
IFS3400-125	5039	96	48	102.5	1260	18864
IFS4800-125	6522	96	48	122.5	1350	20396
<b>Two Cart 250# Models</b>						
IFS1700-250	1818	72	34	82.5	685	14863
IFS2400-250	2576	72	34	102.5	875	15149
IFS2500-250	2639	72	48	82.5	800	17150
IFS2700-250	3739	72	48	102.5	940	19608
IFS3500-250	3557	96	48	82.5	845	19665
IFS3400-250	5039	96	48	102.5	1280	20431
IFS4800-250	6522	96	48	122.5	1370	21082



Cart Bay equipped with corner guides  
 Hopper and cart drain into floor drain  
 Hoppers are 34" or 48" deep  
 Sleeves fit to hopper, shipped separately

Allow 10" in front for snout / door after install  
 Height includes 32.5" h square tube base  
 Standard ABS Top for 34" deep units  
 Call 1-800-346-3246 for special applications  
 All units shipped with cart(s), scoop and paddle



Model # IFS1000-125



# ETL Certified Ice Storage Dispensers




**Dispense at the rate of 2 lbs. per second**

Kloppenberg Ice Storage dispenser Features:


Adjustable bullet feet (flanged feet and adjustable casters available)  
S/S auger / agitator, 1/2hp Motor with torque overload/recover, chain driven,  
24v foot pedal activated, 1 1/2" sq. S/S tubing base,  
adjustable bag shelf for 8-12# bags, easily modified for 20# bags.




8.4amp/115v/60hz/1phase




DISP-500




DISP-1100  
DISP-500+500



DISP-1000+1000




DISP-1000+500



Overall height includes 1" for closure  
Depth is hopper only dimension  
Front ice access door 20" w x 16" h  
Base from floor is 22"  
Add 5 1/2" in back for chain guard  
(6.5" on Disp 1000)  
Allow no less than 12" min. for service access  
8" projection in front for ice chute  
Chute opening is 4 x 4"

Model	Capacity	Width	Height			Overall	Ship weight	List Prices
			Depth	Hopper				
Disp-500	647	30	36	49	71	510	15897	
Disp-1000	1078	48	36	49	71	590	20293	
Disp-1100	1366	60	36	49	71	930	29764	

Combine Dispenser Model with SPS Models with a Universal Top



SPS-2 + DISP-500



## ALSO AVAILABLE

**Call For Quotes for:**

- Prison/Anti-Vandalism Packages (complete or partial)
- Bin or Top Reinforcement
- Corrosion Resistant Coating Above Ice Fill Line
- Custom Modifications
- Fully Welded seams

- Space Saver Shovel Door
- 60" Heavy Duty Ice Paddle
- Flanged bolt down feet
- Adjustable castors with brake
- White Plastic Shovel

Kloppenberg has full custom capability  
Please accompany custom quote requests with detailed drawings or specifications.

# Slope Front Bins




K-975 Shown



K-32 Shown

Model	Capacity	Width	Depth	Height	Ship weight	List Prices
K-32	130	32	28	41	145	2668
K-225	225	30	30	28	105	2567
K-575	575	30	34	50	185	3094
K-975	975	48	34	50	230	3642

Reintroducing Kloppenberg Slope Front Bins



K-575 Shown

## ALSO AVAILABLE

Call for Quotes for:

- Prison/Anti-Vandalism Packages-(complete or partial)Call for quote
- Bin or Top Reinforcement
- Corrosion Resistant Coating Above Ice Fill Line
- Custom Modifications
- Marine Bins
- Fully welded seams

- Space Saver Shovel Door
- 60" Heavy Duty Ice Paddle
- Flanged bolt down feet
- Adjustable castors with brake
- White Plastic Ice Shovel

Kloppenberg has full custom capability

Please accompany custom quote requests with detailed drawings or specifications.