



MULTI-FACETED  
STAINLESS STEEL FURNITURE



*The Kloppenberg Advantage*





# Furniture





## Standard Bed

### Product Specifications

Body: 5/8" Thick Interchangeable Panels

Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts, Fully Welded and Polished Joints



- Unit is Stackable
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany

#### Add-on Options for this Unit:

- Stackable Bed Accessory Package (Stainless Ladder, Stainless Guard Rail, and Stainless Stacking Rod)
- Stainless Steel Components can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs



Warranties:    Insert Panel    1 year  
                   Frame            50 years

### Item Number

### Overall Dimensions

### Weight

MB844042

84" long x 42" wide x 40" high

145 lbs.



## Drawers Under Bed

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Drawer: 18 gage Type 304 Stainless Steel, Spot Welded, Full Extension Slides (100 lbs.), & Integral Pull
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts



- Standard Unit has 2 Drawers
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Drawer Handles:
  - Brushed Aluminum Wire Pull Drawer Handle

Warranties:	Insert Panel	1 year
	Drawers	10 years
	Frame	50 years

#### Add-on Options for this Unit:

- Stainless Steel Components and Handles can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components and Handles can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

### Item Number

### Overall Dimensions

### Weight

MU844042

84" long x 42" wide x 40" high

390 lbs.



## Lift Bed

### Product Specifications

Body: 5/8" Thick Interchangeable Panels

Storage Area: 16 ga Type 304 Stainless Steel with Brushed Satin Finish, Fully Welded and Polished Joints, Heavy duty pneumatic springs, Piano Hinge Lid Attachment

Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts, Fully Welded and Polished Joints

- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Lock Area:
  - Recessed to accommodate a padlock, not included

Warranties: Insert Panel 1 year  
 Piano Hinge 10 years  
 Frame 50 years



#### Add-on Options for this Unit:

- Stainless Steel Components can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

### Item Number

### Overall Dimensions

### Weight

ML844042

84" long x 42" wide x 40" high

430 lbs.



## Upright Dresser

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Drawer: 18 gage Type 304 Stainless Steel, Spot Welded, Full Extension Slides (100 lbs.), & Integral Pull
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Standard Unit has 3 Drawers
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Door and Drawer Handles:
  - Brushed Aluminum Round Knob

- Warranties: Insert Panel 1 year  
 Drawers 10 years  
 Frame 50 years



#### Add-on Options for this Unit:

- Stainless Steel Components and Handles can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components and Handles can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

### Item Number

### Overall Dimensions

### Weight

MU363626

36" wide x 36 1/2" high x 26" deep

240 lbs.



## Nightstand

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Drawer: 18 gage Type 304 Stainless Steel, Spot Welded, Full Extension Slides (100 lbs.), & Integral Pull
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Standard Unit has 1 Drawer
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Drawer Handles:
  - Brushed Aluminum Round Knob

Warranties:	Insert Panel	1 year
	Drawers	10 years
	Frame	50 years



### Add-on Options for this Unit:

- Stainless Steel Components and Handles can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components and Handles can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

### Item Number

MN222620

### Overall Dimensions

27" wide x 26 1/2" high x 20 1/2" deep

### Weight

90-115 lbs.





## Armoire / Entertainment Center

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Drawer: 18 gage Type 304 Stainless Steel, Spot Welded, Full Extension Slides (100 lbs.), & Integral Pull
- Door: 18 gage Type 304 Stainless Steel, Five Knuckle Stainless Steel Butt Hinge, Magnetic Catch & Integral Pull
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Standard Unit has 3 Drawers
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Door and Drawer Handles:
  - Brushed Aluminum Round Knob

- Warranties: Insert Panel 1 year  
 Drawers 10 years  
 Frame 50 years



#### Add-on Options for this Unit:

- Stainless Steel Components and Handles can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components and Handles can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

<u>Item Number</u>	<u>Overall Dimensions</u>	<u>Weight</u>
AE60	42" wide x 60" high x 26" deep	400 lbs
AE66	42" wide x 66" high x 26" deep	450 lbs
AE72	42" wide x 72.5" high x 26" deep	500 lbs



## Wardrobe

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Door: 18 gage Type 304 Stainless Steel, Five Knuckle Stainless Steel Butt Hinge, Magnetic Catch & Locking Handle
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany
- Standard Door Handle:
  - Brushed Aluminum, Non-Locking "L" Handle

- Warranties: Insert Panel 1 year  
 Drawers 10 years  
 Frame 50 years



### Add-on Options for this Unit:

- Interior Storage Drawers
- Upper Storage Compartment
- Stainless Steel Components and Handles can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components and Handles can be Powder Coat Painted to match room décor
- Units can be Customized to meet individual needs

<u>Item Number</u>	<u>Overall Dimensions</u>	<u>Weight</u>
MW427826	42" wide x 78" high x 26" deep	450 lbs
MWS428426	42" wide x 84" high x 26" deep	500 lbs



## Desk

### Product Specifications

- Body: 5/8" Thick Interchangeable Panels
- Drawer: 18 gage Type 304 Stainless Steel, Spot Welded, Full Extension Slides (100 lbs.), & Integral Pull
- Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Unit comes with plastic pencil/filing drawer
- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany

Warranties:	Insert Panel	1 year
	Drawers	10 years
	Frame	50 years



#### Add-on Options for this Unit:

- Stainless Steel Components can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

### Item Number

MD483024

### Overall Dimensions

48" wide x 31 1/4" high x 24" deep

### Weight

100 lbs.



## Entertainment/Coffee Table

### Product Specifications

Body: 5/8" Thick Interchangeable Panels

Frame: 16 ga 1 1/2" Type 304 Tubular Stainless Steel with Adjustable Foot Inserts

- Standard Panel Colors by Wilsonart Laminate Product:
  - 7298-38 Castle Oak
  - 7921-38 Tuscan Walnut
  - 7935K-07 Shaker Cherry
  - 7040K-78 Figured Mahogany

#### Add-on Options for this Unit:

- Stainless Steel Components can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
- Stainless Steel Components can be Powder Coat Painted to match room decor
- Units can be Customized to meet individual needs

Warranties:    Insert Panel    1 year  
                   Frame                50 years



### Item Number

ME481822

### Overall Dimensions

48" wide x 18" high x 22" deep

### Weight

80 lbs.



## VA Bed

### Product Specifications

Body: 11 ga 1/8" Thick Steel  
Powder Coat painted

Frame: 16 ga 1 1/2" Tubular Steel  
Powder Coat painted with  
Fully Welded and Polished  
Joints

- Standard Powder Coat paint color:
  - Cream
- Add-on Options for this unit:
  - Steel Components can be treated with Saniguard antimicrobial coating to prevent growth of bacteria, viruses and other microorganisms
  - 6 Point Tie Down Rings Can be
  - Customized to meet individual needs



Warranties: Body 50 years  
Frame 50 years

### Item Number

### Overall Dimensions

### Weight

VB844234

84" long x 42" wide x 36" high

470 lbs



## VA Nightstand

### Product Specifications

Body: ¼" Thick Steel Powder Coat painted

Top & Shelf: ½" Thick Steel Plate Powder Coat painted

Frame: 16 ga 1 ½" Circular Tube Steel Powder Coat painted with Bullet Foot Inserts, Fully Welded and Polished Joints

- Standard Powder Coat paint colors:
  - Cream
- Add-on Options for this unit:
  - Steel Components can be treated with Saniguard antimicrobial coating to prevent the growth of bacteria, viruses, and other microorganisms
  - Can be Customized to meet individual needs

Warranties: Body 50 years  
Top & Shelf 50 years  
Frame 50 years



### Item Number

VN222420

### Overall Dimensions

24" wide x 22" high x 20" deep

### Weight

200 lbs.



## VA Storage Shelf

### Product Specifications

Body: 1/8" Thick Steel Powder Coat painted

Top & Shelf: 1/2" Thick Steel Plate Powder Coat painted

Frame: 16 ga 1 1/2" Circular Tube Steel Powder Coat painted with Bullet Foot Inserts, Fully Welded and Polished Joints

- Standard Powder Coat paint colors:
  - Cream
- Add-on Options for this unit:
  - Steel Components can be treated with Saniguard antimicrobial coating to prevent the growth of bacteria, viruses, and other microorganisms
  - Can be Customized to meet individual needs

Warranties: Body 50 years  
Top & Shelf 50 years  
Frame 50 years



### Item Number

VS482418

### Overall Dimensions

24" wide x 48" high x 18" deep

### Weight

275 lbs.







## SPECIFICATIONS

### 1. GENERAL

- A. Warranty: All items, including case goods, tables, and beds, shall carry a minimum fifty (50) years standard commercial warranty against product defect or poor workmanship on all stainless steel frames. All other items shall carry a standard commercial warranty.
- B. Style: Furniture shall have simple lines and detailing that is durable and easily maintained, and shall be free of ornamentation. All furnishings specified herein shall be of a design, material, and workmanship to withstand heavy daily usage over an extended life with a minimum of maintenance and repair. All case goods (including tables) should be similar in appearance and construction.
- C. Quality: All pieces of furniture shall be new, free from defects affecting safety, appearance, durability, and serviceability and in conformance with the specifications. All exposed wood surfaces shall be free of splices, loose knots, torn grains, checks, or defects of any kind. Furniture will be designed and detailed to achieve a high quality appearance. Adjacent parts in any piece of furniture shall be closely matched in wood species, color and grain pattern.

### 2. CASE GOODS

Other option may be required for each piece of furniture. These options are provided below.

- A. Fabrication: All case good shall be constructed of Stainless Frames, stainless steel drawers with a choice of laminated Veneer or Melamine faces & sides & back, unless otherwise specified.
  - 1. Side Panels:
    - a. Side panels shall be minimum 3/8" hardwood veneer-core plywood with wood veneer or melamine. Exposed edges on the front of the piece shall be provided with minimum 3/8" thick solid wood edge banding or may be covered by solid oak front frame. Bottom edges of side panels shall be sealed to eliminate the possibility of water wicking up the side panels.
  - 2. Back Panels: For all construction types, standard back panels shall be minimum 3/8" hardwood finished wood veneer plywood OR Melamine for pieces of furniture where the back panel is not a structural element (to resist racking, etc.) If the back panel is a structural element, it shall be 16 gauge stainless steel. Back panels that will be visible, such as in wardrobes, drop-lid desks, one-drawer nightstands, etc., shall be finished on both faces to match other panels
  - 3. Other Panels: Headboard and footboard panels shall be a minimum of 3/8".
  - 4. Drawers: Drawer depth shall be within 4" of cabinet depth. For all construction types, drawer fronts shall be a minimum 3/8" thick. Drawer sides and backs shall be constructed of type 304 stainless steel. Height of drawer sides and backs shall be within 1" of the parting rail. Drawer width shall be within 1" of opening. All drawers shall be provided with replaceable drawer fronts. Drawer construction and materials, to include drawer bottoms, shall be able to withstand a load of 125% of the rated load of the drawer guides without sagging or failing.



5. Top: For all construction types the following options may be provided for tops.
  - a. All tops may be a minimum of 3/8". Tops shall not overhang on any side.
  - b. The top must be completely sealed from moisture by use of the laminate, the lumber band, and the backer sheet. The top may not be relied on for structural integrity. Tops shall not overhang on any side.
6. Internal construction: Frame rails shall be a minimum of 1 1/2" stainless steel square tube. The base and top shall be attached to the interior framing of the cabinet. Screw cleats shall be added where necessary. Dry construction methods utilizing metal to metal fasteners, where the panels are structural and self-supporting do not require rails or corner blocks.
7. Shelves: Adjustable shelves shall be stainless steel construction.
8. Hardware: Provide all hardware and accessories, as required for each item. All concealed hardware shall be finished to complement adjacent surfaces. Typical hardware items include, but are not limited to, the following:
  - a. Catches: Double roller or magnetic.
  - b. Drawer Guides: Side mounted with 75 lb. capacity guides for drawers less than 2.0 cu. ft. Drawers between 2.0 and 4.0 cu. ft., and keyboard shelves, shall be provided with 100 lb. capacity guides. Drawers greater than 4.0 cu. ft. shall be provided with 150 lb. capacity guides. Guides shall be provided with positive out and in stops.
  - c. Leveling Glides: Non-skid rust-free steel with nylon leveling glides. Glides shall be adjustable, easily accessible, and provided on all four corners of items more than 36 inches high. All other pieces shall be provided with screw-in nylon glides.
  - d. Hasp and Scuff Plate: When required by the item description, lock hasps will be provided on both doors and will be notched into door edge. Lock hasps shall be screwed to back of doors with only the eyelet exposed. Through-door single hasps will not be provided.
  - e. Shelf Supports: Four adjustable metal push or screw-in with cushioned tabs per shelf.
  - f. Lid Supports: All metal, adjustable tension flap with brake. Each support shall be provided with at least 2 bolt through fasteners at each end.
  - g. Drawer and Door Pulls: Pulls shall not protrude beyond front edge of cabinet. Two pulls shall be provided for drawers 30" wide or wider. Options for drawer and door pulls are provided below. Type P1 will be the most common.
    1. Type P1: Full-length groove. This is a "concealed" type of pull that allows you to open the drawer or door by means of a groove or lip that runs the full length of the door or drawer.
    2. Type P2: Stainless steel full grip type recessed pull.
  - h. Door Hinges: Semi-concealed or butt hinges, with minimum of 4 through-door bolt fasteners per hinge (2 per hinge leaf). Hinges shall be minimum of 5-knuckle, 0.090 inch thick (heavy-duty), 2 3/4" long. "European-style" hinges shall not be provided. Hinges shall provide a 180-degree opening angle. Hinges shall not protrude past the sides of the cabinet. If fasteners are exposed when door or drop-lid is closed, security fasteners must be provided.



### **3. NIGHTSTAND**

- A. Description: Single free-standing unit, 18" – 22" W x 16" – 20" D x 20" – 24" H, with number of drawers as specified.
- B. Hardware: Includes 1 pull per drawer, glides, and drawer guides.
- C. Options: 1 drawer or 2 drawers.

### **4. TV ARMOIRE**

- A. 1. Description: Single free-standing wall unit, 32" – 36" W x 22" – 26" D x 53" – 78" H. Unit shall have three full-width drawers and an inside open area behind doors/in open area that is adequate to accommodate a 27" television. Shelf to accommodate DVD will be provided. Minimum duplex surge protected outlets shall also be provided. At least one 1 ½" grommet shall be provided in the open area.
- B. Hardware: Includes catches, drawer guides, leveling glides, shelf supports, drawer and door pulls, door hinges, and power cord. In addition, the upper doors shall be attached with a minimum of two pairs of hinges. Each door shall have pull and catches. Drawers shall have pulls guides.
- C. Options:
  - 1. With or without hasps and plates.
  - 2. With three full-width drawers or with adjustable shelves behind lower doors for stereo equipment or other storage.

### **5. WARDROBE UNIT**

- A. Description: Single free-standing wall unit, 36" – 42" W x 24" – 26" D x 72" – 84" H. Unit shall have two doors and one fixed shelf. The fixed shelf shall be above the clothing rod shall be provided. Provide one mirror minimum 16" x 24" attached to the inside of one door.
- B. Hardware: Include catches, leveling glides, door pulls, and hinges. Wardrobe doors shall be attached with a minimum of three pair of hinges. Each door shall have pull and catches.
- C. Options:
  - 1. With hasp locks, a three point locking mechanism on the door handle with a mechanism capable of padlocking the unit, or without any type of locking capability.
  - 2. With or without internal 3-drawer chest.

### **6. BACHOLER CHEST**

- A. Description: Single free-standing unit, 28" – 33" W x 18" – 22" D x 26" – 30" H. Unit shall have three drawers.
- B. Hardware: Includes drawer guides, glides and drawer pulls.



## **7. SINGLE BED, STACKABLE**

- A. Description: Single bunk able bed to accommodate 38” W x 80” L mattress, 38” – 42” W x 83” – 85” L with 35” – 39” H headboard and 22” – 26” H footboard. Bed unit shall consist of a headboard, footboard, fascia rails, and wedge –lock sagless spring unit.
- B. Materials and finishes: The carriage bolts used for attaching the wedge-lock spring unit’s brackets to the posts and the fascia to the side rails shall have bronze finished heads. Wedge-lock spring unit and bed frame shall have a baked enamel finish. All hardware shall be finished to resist corrosion. Tool-less bunk beds may be provided as long as they are provided with metal to metal connectors and meet or exceed all test results for traditional bunk bed construction.

## **8. COMPUTER DESK**

- A. Description: Single free-standing wall unit, 32 – 36” W x 22” – 26” D x 72” – 78” H, with three full-width drawers, minimum of one adjustable shelf and pull-out tray for key board/writing behind upper doors, and minimum duplex surge protected outlets. The compartment is to also contain one removable shelf above the pull-out tray for the monitor to accommodate a keyboard and mouse or the CPU below the shelf. Width of keyboard tray should be able to accommodate keyboard and mouse pad. Extensions to the keyboard tray may be provided if required. The adjustable shelf shall provide capability for paper feed and placement of cables. Adequate number, size and placement of grommets with covers are required to allow for wiring of different computer components.

## **9. PLATFORM BED (CAPTAINS BED)**

- A. Description: Single platform bed, with a least 2 under-bed drawers, to accommodate 38” W x 80” L mattress, 38” – 42” W x 83” – 85” L x 14” – 23” H. A headboard shall be a part of the bed unit. A minimum 10” tall headboard (measured from top of mattress) shall be part of bed unit. The platform portion shall be recessed below the top of the side rails, and foot rails (if no footboard is provided), to keep the mattress in place. The vendor shall be responsible for determining if onsite assembly of the bed is required before delivery.
- B. Options:
  - 1. Drawers: 4 drawers or 2 drawers
  - 2. With or without lift-top back storage area under platform.

## **10. WOOD HEADBOARD WITH METAL FRAME**

- A. Description: Shall accommodate mattress/box spring sets. Headboard shall be 38” – 42” W for twin size or 52” – 56” W for full size. Height of headboard shall be at least 10” above top of mattress. Bed frame shall meet or exceed industry standards in types and thickness of materials and construction.
- B. Hardware: Shall be adequate to attach headboard to frame.



### 11. UNDER BED DRAWERS, 2 OR 4 DRAWERS

- A. Description: Unit to fit under twin size bed. May be 2 individual drawers on casters, or one unit with 2 drawers. Drawer depth shall be a minimum of 60% of the width of the bed.
- B. Hardware: Consists of drawer pulls and casters on individual drawers or drawer guides on drawers in unit.
- C. Options: 2 drawers or 4 drawers. Two drawer units may be 2 individual drawers on casters, or one unit with 2 drawers, for drawer unit must be one case with 4 drawers. Two drawer units must be able to fit under stackable beds as well a standard metal frame, four drawer units for use under stackable bed only.

### 12. BOOKCASE

- A. Description: Single free-standing unit, 33" – 37" W x 10" -13" D. Height depends on option selected.
- B. Options: 3 shelves, 2 of which are adjustable, 34" – 38" H; or 5 shelves, 4 of which are adjustable, 72" – 78" H.

### 13. TABLES

- A. Occasional tables (coffee table, end table, corner table, etc.) will be provided with 4 legs or panels on both ends. If panels are provided, they may be solid or open in the center. Panels must be connected by a fail for rigidity and durability. Other tables (dining table, game table, etc.) may have 4 legs with connecting aprons, a pedestal base with four prongs, or other appropriate base. The base shall never be less than half the size of the table top to prevent tipping.
  - 1. Living Unit Dining Table
    - a. Description: Wood tables, 27"-33" square or round x 29" – 31" H. Minimum table top thickness for this item is 3/4".
  - 2. Community Building Table
    - a. Description: Wood table, 46"-50" D or 34"-38" square x 29"-31" H.
  - 3. End Table
    - a. Description: Wood table, 22"-26" W x 22"-26" D x 21"-23" H.
    - b. Options: Solid oak butcher block top or HPL top as specified above.
  - 4. Occasional Table
    - a. Description: Wood table, 39"-45" W x 20"-24" D or 34"-38" square x 15"-17" H.
    - b. Options: Solid oak butcher block top or HPL top as specified above.
  - 5. Stand-up Table:
    - a. Description: Wood table, 24"-30" D x 38" – 42" H, 15"-22" spread, foot ring.








## SCI-FAB

Quality Stainless Steel Furnishings for the Laboratory and Healthcare Environment



## ISE ADVANTAGE

Quality Stainless Steel Ice Storage Equipment



## WATER FEATURES PATHOBAN AG254™



## MULTI-FACETED STAINLESS STEEL FURNITURE



*The Kloppenberg Advantage*

[www.kloppenberg.com](http://www.kloppenberg.com)